

IN THE CLAIMS

Please amend the claims as follows:

1–12. (Canceled)

13. (Currently Amended) A computer program product, comprising:

a computer-readable memory device; and

computer-readable program code segments, stored on the ~~medium~~ computer-readable memory device, for:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and
in response to receiving the input:

determining, at the client, whether there is content associated with the web page in the local cache;

if there is content associated with the web page in the local cache, inserting a unique identifier into the address; and

transmitting the request to a server.

14. (Currently Amended) The computer program product of claim 13, further comprising:

computer-readable program code segments, stored on the ~~medium~~ computer-readable memory device, for determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

15–29. (Canceled)

30. (Withdrawn) A computer program product, comprising:
a computer-readable memory device;
computer-readable program code segments, stored on the medium, for:
receiving, from a client having a local cache, a request for content of a first web page, the request including a first address, the request also including a request for transmission of a second web page; and
in response to receiving the request for content
transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.
31. (Withdrawn) The computer program product of Claim 30, further comprising:
computer-readable program code segments, stored on the medium, for receiving, from the client, a request for content of the second web page, the request including the second address with the unique identifier.
32. (Currently Amended) A method, comprising:
receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and
in response to receiving the input:
determining, at the client, whether there is content associated with the web page in the local cache;
if there is content associated with the web page in the local cache,
inserting a unique identifier into the address; and
transmitting the request to a server.
33. (Previously Presented) The method Claim 32, wherein determining whether there is content associated with the web page in the local cache comprises:
determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

34. (Withdrawn) A method comprising:

receiving, from a client having a local cache, a request for content of a first web page, the request including a first address, the request also including a request for transmission of a second web page; and

in response to receiving the request for content:

transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.

35. (Withdrawn) A method according to Claim 34 further comprising:

receiving, from the client, a request for content of the second web page, the request including the second address with the unique identifier.

36. (New) The computer program product of Claim 13, wherein the includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.

37. (New) The computer program product of Claim 13, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

38. (New) The computer program product of Claim 13, wherein the unique identifier includes a random number.

39. (New) The computer program product of Claim 13, wherein the unique identifier includes a time stamp.

40. (New) The computer program product of Claim 13, wherein the unique identifier comprises an alpha-numeric representation.

41. (New) The method of Claim 32, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.

42. (New) The method of Claim 32, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

43. (New) The method of Claim 32, wherein the unique identifier includes a random number.

44. (New) The method of Claim 32, wherein the unique identifier includes a time stamp.
45. (New) The method of Claim 32, wherein the unique identifier comprises an alpha-numeric representation.